


**Clean, Accurate Broaching—Brightly Plated—Polished Heads**

## OPEN END, BOX AND COMBINATION WRENCHES



Contents:


Qty.	No.	Opening, in.	▲Each
3	F8130G (P20)	$\frac{1}{4}$ & $\frac{5}{16}$	\$0.53
3	F8131G (P723)	$\frac{3}{8}$ & $\frac{1}{2}$	.61
3	F8132G (P725B)	$\frac{1}{2}$ & $\frac{9}{16}$	.72
3	F8133G (P27)	$\frac{19}{32}$ & $\frac{11}{16}$	.83
3	F8134G (P729)	$\frac{5}{8}$ & $\frac{3}{4}$	.95
3	F8135G (P731B)	$\frac{13}{16}$ & $\frac{7}{8}$	1.19
3	F8136G (P33C)	$\frac{15}{16}$ & 1	1.47

Per Display	Per Display
<b>FX-5304-G X13D61</b> .....	\$20.86
One Display in box, Wt. box 7 lbs.	

## Contents:

Qty.	No.	Opening, in.	▲Each
3	F8293G (911)	$\frac{3}{8}$ & $\frac{7}{16}$	\$0.76
3	F8294G (912)	$\frac{1}{2}$ & $\frac{9}{16}$	.86
2	F8295G (913)	$\frac{5}{8}$ & $\frac{11}{16}$	.99
2	F8296G (914)	$\frac{3}{4}$ & $\frac{25}{32}$	1.15
2	F8297G (915)	$\frac{13}{16}$ & $\frac{7}{8}$	1.37
2	F8298G (916)	$\frac{15}{16}$ & 1	1.82


Per Display	Per Display
<b>FX-5305-G X10D91</b> .....	<b>\$16.78</b>
One display in box. Wt. box 10 lbs.	



## Contents:

Qty.	No.	Opening, in.	Each
3	F7319G (1071)	$\frac{3}{8}$	\$0.64
3	F7320G (1072)	$\frac{7}{16}$	.69
3	F7321G (1073)	$\frac{1}{2}$	.73
3	F7322G (1074)	$\frac{9}{16}$	.84
3	F7323G (1075)	$\frac{5}{8}$	.97
3	F7324G (1076)	$\frac{11}{16}$	1.11


Per Display	Per Display
<b>FX-5312-G X10D58</b> .....	\$16.26
One display in box. Wt. box 5 lbs.	



## Contents:

Qty.	No.	Opening, in.	Each
2	F7325G (1077)	$\frac{3}{4}$	\$1.25
2	F7326G (1078)	$\frac{13}{16}$	1.52
2	F7327G (1079)	$\frac{7}{8}$	1.67
2	F7328G (1080)	$\frac{15}{16}$	1.84
2	F7329G (1081)	1	2.06

Per Display	Per Display
<b>FX-5314-G X11D70</b> .....	\$18.01
One display in box. Wt. box 5 lbs.	



For use with counter type Servatool salesman or individually on walls, posts or islands.

All wood construction, size 13x31 ins.; finished in yellow and red.

Contents:

### Open End Wrenches

Qty.	No.	Opening, in.	Each
3	F8131G (P723)	$\frac{3}{8}$ & $\frac{7}{16}$	\$0.61
3	F8132G (P725B)	$\frac{1}{2}$ & $\frac{9}{16}$	.72
3	F8133G (P27)	$\frac{19}{32}$ & $\frac{11}{16}$	.83
3	F8134G (P729)	$\frac{5}{8}$ & $\frac{3}{4}$	.95
3	F8135G (P731B)	$\frac{13}{16}$ & $\frac{7}{8}$	1.19
3	F8136G (P33C)	$\frac{15}{16}$ & 1	1.47

### Combination Wrenches

3	F7320G (1072)	$\frac{7}{16}$	.69
3	F7321G (1073)	$\frac{1}{2}$	.73
3	F7322G (1074)	$\frac{9}{16}$	.84
3	F7323G (1075)	$\frac{5}{8}$	.97
3	F7324G (1076)	$\frac{11}{16}$	1.11
3	F7325G (1077)	$\frac{3}{4}$	1.25
3	F7326G (1078)	$\frac{13}{16}$	1.52

### 45° Box End Wrenches

3	F8293G (911)	$\frac{3}{8}$ & $\frac{7}{16}$	.76
3	F8294G (912)	$\frac{1}{2}$ & $\frac{9}{16}$	.86
3	F8295G (913)	$\frac{5}{8}$ & $\frac{11}{16}$	.99
3	F8296G (914)	$\frac{3}{4}$ & $\frac{25}{32}$	1.15
3	F8297G (915)	$\frac{13}{16}$ & $\frac{7}{8}$	1.37
3	F8298G (916)	$\frac{17}{16}$ & 1	1.82

Per Display	Per Display
<b>†5046W-G X40D11</b> .....	\$62.71
One display in ctn. Wt. ctn. 27 lbs.	

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Chicago, Ill.




## WRENCH SETS

## INDESTRO SELECT STEEL

Drop-Forged—Scientifically Heat-Treated  
Clean, Accurate Broaching—Brightly Plated—Polished Heads


## OPEN END



## 5 Piece Set

Range  $\frac{5}{16}$  to  $\frac{3}{4}$  in.

Per Set  
**F8059G** (0930-5W) **X1D37**..... \$2.15  
Six sets in box. Wt. box  $5\frac{7}{8}$  lbs.



## 6 Piece Set

Range  $\frac{5}{16}$  to  $\frac{7}{8}$  in.

Per Set  
**F8057G** (0930-6W) **X1D83**..... \$2.86  
Six sets in box. Wt. box  $8\frac{3}{4}$  lbs.

## IGNITION




## 4 Piece Set

15° and 60° Openings

Wrench Sizes  $\frac{7}{32}$  and  $\frac{1}{4}$ ,  $\frac{13}{64}$  and  $\frac{1}{8}$ ,  $\frac{5}{16}$  and  $\frac{9}{32}$ ,  $\frac{11}{32}$  and  $\frac{3}{8}$  in.  
Mounted on colorful merchandising card.

Per Set  
**F8061G** (884) **X1D65**..... \$2.58  
Six sets in box. Wt. box 1 lb.

## COMBINATION




## 5 Piece Set

Range  $\frac{5}{16}$  to  $\frac{3}{4}$  in.

Per Set  
**F8007G** (0900-5A) **X1D41**..... \$2.21

Twelve sets in box. Wt. box 9 lbs.



## 6 Piece Set

Range  $\frac{5}{16}$  to  $\frac{7}{8}$  in.

Per Set  
**F8008G** (0900-6A) **X1D83**..... \$2.86

Twelve sets in box. Wt. box 13 lbs.

## UTILITY



## 8 Piece Set

For ignition systems, carburetors, radio, television and anywhere the application of small tools is required.

Contains:

- 4—Open End Wrenches, one each  $\frac{1}{4}$  and  $\frac{7}{32}$ ,  $\frac{13}{64}$  and  $\frac{1}{8}$ ,  $\frac{5}{16}$  and  $\frac{9}{32}$ ,  $\frac{11}{32}$  and  $\frac{3}{8}$  in.
- 1—Midget Plier
- 1—Shockproof Midget Screw Driver
- 1—Tungsten Ignition File
- 1—Swedish Steel Feeler Gauge with Blades .012, .015, .018, .020 and .025.


In attractive enameled box.

Per Set  
**F8062G** (889) **X3D73**..... \$5.84


One set in box. Wt. box 1 lb.

**Clean, Accurate Broaching—Brightly Plated—Polished Heads**

### 45° LONG BOX



Six sets in box. Wt. box 13 lbs.




Six sets in box. Wt. box 18 lbs.


Six sets in box. Wt. box  $3\frac{1}{4}$  lbs.



Six sets in box. Wt. box 7 1/8 lbs.



Six sets in box. Wt. box 18 lbs.



One set in a box. Wt. box 6  $\frac{1}{4}$  lbs.



**WRENCHES****INDESTRO SELECT STEEL**

Drop-Forged—Scientifically Heat-Treated, Clean  
Accurate Broaching—Brightly Plated—Polished Heads

**OPEN END**


Each			Opening, in.	Wt. Box lbs.	▲Each
F8130G	(P20)	D3C6	$\frac{1}{4}$ & $\frac{5}{16}$	$\frac{1}{4}$	\$0.55
F8131G	(P723)	D4C1	$\frac{3}{8}$ & $\frac{7}{16}$	$\frac{1}{2}$	.64
F8132G	(P725B)	D4C8	$\frac{1}{2}$ & $\frac{9}{16}$	1	.75
F8133G	(P27)	D5C6	$\frac{19}{32}$ & $1\frac{1}{16}$	$1\frac{1}{2}$	.86
F8134G	(P729)	D6C4	$\frac{5}{8}$ & $\frac{3}{4}$	2	1.00
F8135G	(P31B)	D8C4	$\frac{13}{16}$ & $\frac{7}{8}$	3	1.31
F8136G	(P33C)	X1D01	$\frac{15}{16}$ & 1	$4\frac{3}{4}$	1.58

Six in box

**BOX**

Each			Opening, in.	Wt. Box lbs.	▲Each
F8293G	(911)	D5C1	$\frac{3}{8}$ & $\frac{7}{16}$	1	\$0.79
F8294G	(912)	D5C8	$\frac{1}{2}$ & $\frac{9}{16}$	$1\frac{1}{2}$	.90
F8295G	(913)	D6C7	$\frac{5}{8}$ & $1\frac{1}{16}$	2	1.04
F8296G	(914)	D7C7	$\frac{3}{4}$ & $2\frac{5}{32}$	$2\frac{3}{4}$	1.20
F8297G	(915)	D9C2	$\frac{13}{16}$ & $\frac{7}{8}$	$3\frac{3}{4}$	1.44
F8298G	(916)	X1D23	$\frac{15}{16}$ & 1	5	1.93

Six in Box

**COMBINATION**

Each			Opening, in.	Wt. Box lbs.	Each
F7319G	(1071)	D4C4	$\frac{3}{8}$	$\frac{1}{2}$	\$0.69
F7320G	(1072)	D4C7	$\frac{7}{16}$	$\frac{1}{2}$	.73
F7321G	(1073)	D5C0	$\frac{1}{2}$	$\frac{3}{4}$	.77
F7322G	(1074)	D5C6	$\frac{9}{16}$	$1\frac{1}{4}$	.88
F7323G	(1075)	D6C6	$\frac{5}{8}$	$1\frac{1}{2}$	1.02
F7324G	(1076)	D7C5	$1\frac{1}{16}$	2	1.17
F7325G	(1077)	D8C4	$\frac{3}{4}$	$2\frac{1}{2}$	1.31
F7326G	(1078)	X1D01	$\frac{13}{16}$	3	1.58
F7327G	(1079)	X1D12	$\frac{7}{8}$	4	1.75
F7328G	(1080)	X1D24	$\frac{15}{16}$	$4\frac{1}{2}$	1.94
F7329G	(1081)	X1D39	1	5	2.17

Six in box

**WRENCH AND TOOL SETS****INDESTRO****47 Piece Set**

Contents:

 **$\frac{1}{2}$  in. Drive Sockets & Fittings**10—Sockets, range  $\frac{7}{16}$  to 1 in.

1—Reversible Ratchet

1—Swing Handle,  $15\frac{1}{2}$  in.

1—Cross Bar, 9 in.

 **$\frac{1}{4}$  in. Drive Sockets & Fittings**

In transparent plastic box

8—Sockets, range  $\frac{1}{2}$  to  $\frac{3}{8}$  in.1—Extension  $3\frac{3}{4}$  in.

1—L Handle, 4 in.

1—Spinner Handle,  $6\frac{1}{2}$  in.**Open End Wrenches**5 Pieces—10 sizes range  $\frac{5}{16}$  to  $\frac{3}{4}$  in. **$45^\circ$  Long Box End Wrenches**5 Pieces—10 sizes range  $\frac{3}{8}$  to  $\frac{7}{8}$  in.**Allen Type Wrenches**7 Pieces set—range  $\frac{3}{64}$  to  $\frac{1}{4}$  in.

1—Ignition and Hobbyist Set

3—Midget End Wrenches

1—Ignition File

1—Feeler Gauge

1—Pocket Klip Screw Driver

Red Steel Box  $19 \times 7\frac{1}{2} \times 6\frac{1}{2}$  in.

Per Set

Per Set

**FX-80228A-G X22D50** ..... \$35.25

One set in ctn. Wt. ctn. 18 lbs.




# **SOCKET WRENCH DISPLAY ASSORTMENTS**

## **INDESTRO CHROME ALLOY**

**Chrome Alloy Steel—Scientifically Heat-Treated—Rich Chrome Finish**  
**Thin Wall, Hot Broached, Four-Way Lock-On Sockets**

Servatool displays include metal hanger with pricing strips—can be mounted on perforated board at hanger ends or hung anywhere with hanger brackets furnished.

### **3/8 IN. SQUARE DRIVE**



**Servatool 43 Piece Assortment**

Size 10x17 inches.

Contains:

Qty.	No.	Item	Size in.	Each
2	F8392G (2730)	Extension	3	\$0.96
2	F8393G (2733)	Extension	6	1.28
2	F8394G (2735)	Extension	12	1.55
1	(2763)	Slide T Handle	8	
2	F8396G (2781)	Swing Head Handle	9	2.67
2	F8401G (2785)	Speeder	16 1/2	2.10
1	F8397G (2797)	Universal Joint	1 13/16	2.29
2	F8414G (2775)	Reversible Ratchet	8	5.65

#### **6 Point Sockets**

2	F8431G (2712)	3/8 in.	.54
---	---------------	---------	-----

#### **12 Point Sockets**

2	F8432G (2714)	7/16	.54
2	F8433G (2716)	1/2	.54
2	F8434G (2718)	9/16	.54
2	F8435G (2720)	5/8	.54
2	F8436G (2722)	11/16	.61
2	F8437G (2724)	3/4	.63
2	F8438G (2726)	13/16	.77
2	F8439G (2728)	7/8	.88

#### **6 Point Universal Joint Sockets**

1	F8449G (2714UV)	7/16	2.31
1	F8450G (2716UV)	1/2	2.31
1	F8451G (2718UV)	9/16	2.31
1	F8452G (2720UV)	5/8	2.31


#### **12 Point Deep Sockets**

1	F8442G (2742)	7/16	.79
1	F8443G (2743)	1/2	.79
1	F8444G (2744)	9/16	.86
1	F8445G (2745)	5/8	.91
1	F8446G (2746)	11/16	.99
1	F8447G (2747)	3/4	1.04
1	F8448G (2748)	13/16	1.24

Per Asst. Per Asst.  
**FX-5310-G X40D91**.....\$59.07

One Asst. in box. Wt. box 10 lbs.

### **1/2 IN. SQUARE DRIVE**



**Servatool 14-Piece Socket Assortment**

Size 8 1/2 x 5 inches


Contents:

Qty.	No.	Size in.	Each
2	F8495G (3020)	5/8	\$1.28
2	F8496G (3022)	11/16	1.28
2	F8497G (3024)	3/4	1.28
2	F8499G (3026)	13/16	1.44
2	F8500G (3028)	7/8	1.58
2	F8501G (3030)	15/16	1.71
2	F8502G (3032)	1	1.78

Per Display Per Display

**FX-5320-G X14D20**.....\$20.63

One display in box. Wt. box 7 lbs.



**Servatool  
34-Piece  
Assortment**

Size 12x22 in.

Contents:

Qty.	No.	Item	Size in.	Each
2	F8415G (3216)	Extension	5 1/2	\$1.31
2	F8416G (3211)	Extension	10	1.62
2	F8421G (3222)	Swing Handle	15 1/2	4.06
2	F8426G (3208)	Long Speeder	19	2.17
2	F8419G (3275)	Reversible Ratchet		6.59
1	F8422G (3217)	Universal Joint		2.23

#### **12 Point Sockets**


Qty.	No.	Size, in.	Each
2	F8476G (1214)	7/16	\$0.59
2	F8477G (1216)	1/2	.59
2	F8478G (1218)	9/16	.63
2	F8480G (1220)	5/8	.63
2	F8482G (1222)	11/16	.74
2	F8483G (1224)	3/4	.81
2	F8485G (1226)	13/16	.86
2	F8486G (1228)	7/8	.94
2	F8487G (1230)	15/16	.96
2	F8489G (1232)	1	1.04
1	F8490G (1234)	1 1/16	1.14
1	F8491G (1236)	1 3/8	1.24
1	F8492G (1240)	1 1/4	1.28

Per Display Per Display  
**FX-5306-G X36D76**.....\$53.12

One display in box. Wt. box 22 lbs.

### **1/2 IN. SQUARE DRIVE**

**46-Piece Assortment  
Display Board**



For use with counter type Serva-Tool salesmaker or individually on walls, posts or islands.

All wood construction, size 13x31 in., finished in yellow and red.

Complete with Sockets, Handles and Fittings as follows:

#### **Hexagon Sockets—12 Point**

Qty.	No.	Size in.	Each
2	F8476G (1214)	7/16	\$0.59
2	F8477G (1216)	1/2	.59
2	F8478G (1218)	9/16	.63
2	F8480G (1220)	5/8	.63
2	F8482G (1222)	11/16	.74
2	F8483G (1224)	3/4	.81
2	F8485G (1226)	13/16	.86
2	F8486G (1228)	7/8	.94
2	F8487G (1230)	15/16	.96
2	F8489G (1232)	1	1.04
2	F8490G (1234)	1 1/16	1.14
2	F8491G (1236)	1 3/8	1.24
2	F8492G (1240)	1 1/4	1.28

#### **Square Sockets—8 Point**

2	(1216S)	1/2	.84 1/2
2	(1218S)	9/16	.84 1/2
2	(1220S)	5/8	.84 1/2
2	(1224S)	3/4	.99
2	(1228S)	7/8	1.09

#### **Handles and Fittings**

Qty.	No.	Item	Size in.	Each
2	F8415G (3216)	Extension	5 1/2	\$1.31
2	F8416G (3211)	Extension	10	1.62
2	F8421G (3222)	Swing Handle	15 1/2	4.06
2	F8426G (3208)	Speeder	19	2.17
2	(3201)	Reversible Ratchet	10 1/2	6.59

Per Display Per Display  
**X5048W-G X42D47**.....\$61.08

One display in ctn. Wt. ctn. 29 lbs.

Items marked ✱ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. Chicago, Ill.



## SOCKET WRENCH SETS

## INDESTRO CHROME ALLOY

Chrome Alloy Steel—Scientifically Heat-Treated—Rich Chrome Finish

Thin Wall, Hot Broached, Four-Way Lock-On Sockets

**1/4 IN. SQUARE DRIVE****11 Piece Set**

## Contents:


- 6—Hexagon 6 point sockets, one each  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  in.  
 3—Square 8 Point sockets, one each  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$  in.  
 1—Swing Head Handle, 6 in.  
 1—Cross bar 4 in.  
 Red steel box  $6\frac{7}{8} \times 2 \times 1$  in.

Per Set

Per Set

**F8040G (7600) X3D52**.....\$5.50

One set in box. Wt. box 1 lb.

**14 Piece Set**

## Contents:

- 8—Hexagon 6 Point Sockets, one each  $\frac{3}{16}$ ,  $\frac{7}{32}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  in.  
 3—Square 8 Point Sockets, one each  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$  in.  
 1—Reversible Ratchet  
 1—Extension 3 in.  
 1—Spinner Handle 6 in.  
 Red steel box  $6\frac{3}{8} \times 2\frac{3}{4} \times 1$  in.

Per Set

Per Set

**F8046G (7602) X7D33**.....\$11.46

One set in box. Wt. box 2 lbs.

**3/8 IN. SQUARE DRIVE****11 Piece Set**

## Contents:

- 1—Hexagon 6 Point Socket  $\frac{3}{8}$  in.  
 6—Hexagon 12 Point Sockets, one each  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  in.  
 1—Reversible Ratchet  
 1—Socket Extension 6 in.  
 1—Swing Head Handle 9 in.  
 1—Cross Bar  $5\frac{1}{2}$  in.  
 Red steel box  $9\frac{3}{4} \times 3\frac{3}{4} \times 1\frac{1}{4}$  in.

Per Set

Per Set

**F7972G (7701) X9D77**.....\$15.28One set in box. Wt. box  $3\frac{1}{2}$  lbs.**15 Piece Set**

## Contents:

- 1—Hexagon 6 Point Socket  $\frac{3}{8}$  in.  
 6—Hexagon 12 Point Sockets, one each  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  in.  
 2—Square 8 Point Sockets, one each  $\frac{7}{16}$ ,  $\frac{1}{2}$  in.  
 1—Extension 6 in.  
 1—Universal Joint  
 1—Cross Bar  $5\frac{1}{2}$  in.  
 1—Swing Head Handle 9 in.  
 1—Speeder 16 in.  
 1—Reversible Ratchet  
 Red steel box  $17\frac{1}{4} \times 5\frac{1}{4} \times 1\frac{1}{4}$  in.

Per Set


Per Set

**F8047G (7702) X14D93**.....\$23.34

One set in box. Wt. box 6 lbs.

**SOCKET WRENCH SETS****INDESTRO CHROME ALLOY**

Chrome Alloy Steel—Scientifically Heat-Treated—Rich Chrome Finish  
Thin Wall, Hot Broached, Four-Way Lock-On Sockets

**1/2 IN. SQUARE DRIVE****12 Piece Set****Contents:**

10—Hexagon 12 Point Sockets, one each  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $1\frac{1}{16}$ ,  $\frac{3}{4}$ ,  
 $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{8}$ , 1 in.  
1—Swing Head Handle  $11\frac{1}{4}$  in.  
1—Cross Bar, 9 in.  
Red steel box  $12\frac{1}{4} \times 2\frac{3}{4} \times 2$  in.

Per Set  
**F8049G (7803) X8D00**..... \$12.50  
One set in box. Wt. box 5 lbs.

**17 Piece Set****Contents:**

13—Hexagon 12 Point Sockets, one each,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $1\frac{1}{8}$ ,  $\frac{5}{8}$ ,  $1\frac{1}{16}$ ,  
 $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  in.  
1—Extension  $5\frac{1}{2}$  in.  
1—Swing Head Handle  $15\frac{1}{2}$  in.  
1—Cross Bar 9 in.  
1—Reversible Ratchet  
Red steel box  $16\frac{1}{4} \times 2\frac{3}{4} \times 2\frac{1}{2}$  in.

Per Set  
**F8048G (7805) X16D20**..... \$25.22  
One set in box. Wt. box  $8\frac{1}{2}$  lbs.

**18 Piece Set****Contents:**


13—Hexagon 12 Point Sockets, one each,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $1\frac{1}{8}$ ,  $\frac{5}{8}$ ,  $1\frac{1}{16}$ ,  $\frac{3}{4}$ ,  
 $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  in.  
1—Swing Head Handle,  $15\frac{1}{2}$  in.  
1—Cross Bar, 9 in.  
1—Reversible Ratchet  
2—Extensions, one each  $5\frac{1}{2}$  in. and 10 in.  
Red steel box  $18\frac{1}{16} \times 5\frac{7}{8} \times 3\frac{1}{2}$  in.

Per Set  
**FX-7806-G X18D74**..... \$29.30  
One set in ctn. Wt. ctn. 11 lbs.

**1/4 AND 1/2 IN. SQUARE DRIVE****30 Piece Set****Contents:**

**1/2 in. Square Drive**  
14—Hexagon 12 Point Sockets, one each  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $1\frac{1}{8}$ ,  $\frac{5}{8}$ ,  $1\frac{1}{16}$ ,  $\frac{3}{4}$ ,  
 $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  in.  
1—Speeder, 19 in.  
1—Swing Head Handle  $15\frac{1}{2}$  in.  
1—Cross Bar, 9 in.  
1—Reversible Ratchet  
1—Extension,  $5\frac{1}{2}$  in.  
**1/4 in. Square Drive**  
6—Hexagon 6 Point Sockets, one each  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $1\frac{1}{32}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$   
3—Square 8 Point Sockets, one each  $\frac{1}{4}$ ,  $\frac{9}{16}$ ,  $\frac{3}{8}$  in.  
1—Swing handle, 6 in.  
1—Cross Bar, 4 in.  
Red steel box  $19 \times 6\frac{5}{8} \times 6$  in.

Per Set  
**FX-7811-G X25D27**..... \$39.51  
One set in ctn. Wt. ctn. 16 lbs.

**3/4 IN. SQUARE DRIVE****19 Piece Set****Contents:**

14—Hexagon 12 Point Sockets, one each 1,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{4}$ ,  $1\frac{1}{16}$ ,  $1\frac{3}{8}$ ,  
 $1\frac{7}{16}$ ,  $1\frac{1}{2}$ ,  $1\frac{5}{8}$ ,  $1\frac{11}{16}$ ,  $1\frac{3}{4}$ ,  $1\frac{13}{16}$ ,  $1\frac{7}{8}$  and 2 in.  
3—Extensions, one each 4, 8 and 16 in.  
1—Slide T handle 18 in.  
1—Reversible Ratchet 18 in.  
Red steel box  $22\frac{1}{2} \times 6\frac{1}{4} \times 3\frac{1}{2}$  in.

Per Set  
**FX-7910-G X50D05**..... \$78.25  
One set in ctn. Wt. ctn. 37 lbs.



## SOCKET WRENCH SETS

### INDESTRO SELECT STEEL

Drop-Forged—Scientifically Heat-Treated—Brightly Plated

#### 1/4 IN. HEX DRIVE



6 Piece Set

##### Contents:

- 5—Sockets, one each 1/4, 5/16, 11/32, 3/8 and 7/16 in.
- 1—Combination spinner-extension-screw driver handle, of shock-proof tenite II U.L. approved.
- Sockets held on Handle.

Per Set  
**F8044G (360) D7C8**..... Per Set \$1.23  
Twelve in box. Wt. box 3 lbs.




7 Piece Set

##### Contents:

- 5—6 Point Hexagon sockets, one each 1/4, 5/16, 11/32, 3/8 and 7/16 in.
- 1—4 Point Square Socket, 1/4 in.
- 1—Round Knurled Socket, 3/8 in.
- 1—L handle, 4 in.
- Red baked enamel case.

Per Set  
**F7993G (350) D6C6**..... Per Set \$1.03  
Twenty-four sets in ctn. Wt. ctn. 7 1/2 lbs.




11 Piece Set

- 5—6 Point Hex Sockets, one each 1/4, 5/16, 3/8, 7/16, 1/2 in.
- 2—4 Point Square Sockets, one each 1/4 and 5/16 in.
- 1—Extension 3 3/4 in.
- 1—L Handle, 4 in.
- 1—Combination, spinner-screwdriver handle.
- 1—Round knurled socket, 3/8 in.
- Red baked enamel case.

Per Set  
**F8045G (367) X2D08**..... Per Set \$3.25  
One set in box. Wt. box 3/4 lb.

#### 1/4 AND 1/2 IN. HEX DRIVE



19 Piece Wall Klip Set  
1/4-Inch Drive

##### Contents:

- 5—6 point sockets, one each 1/4, 5/16, 11/32, 3/8, 7/16 in.
- 2—4 point square sockets, one each 1/4 and 5/16 in.
- 1—L handle, 4 in.
- 8—12 point sockets, one each 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8, 15/16 in.
- 1—Ratchet Handle
- 1—L Handle
- 1—Screw Driver Adaptor
- Red baked enamel case with wall slots.

Per Set  
**F7962G (1454) X3D48**..... Per Set \$5.40  
Three sets in box. Wt. box 2 3/4 lbs.

#### 3/8 IN. HEX DRIVE



10 Piece Set

##### Contents:

- 9—6 point sockets, one each 9/32, 5/16, 11/32, 3/8, 7/16, 15/32, 1/2, 9/16, 5/8 in.
- 1—L Handle, 6 in.
- Red baked enamel case

Per Set  
**F8043G (2104) X1D40**..... Per Set \$2.19  
Twelve sets in box. Wt. box 10 lbs.

#### 1/2 IN. HEX DRIVE



7 Piece Set

##### Contents:

- 6—12 Point Sockets, one each 1/2, 9/16, 5/8, 11/16, 3/4, 7/8 in.
- 1—L handle, 6 1/2 in.
- Red baked enamel case holds sockets securely.

Per Set  
**F8021G (1351) X1D57**..... Per Set \$2.46  
Three sets in box. Wt. box 3 3/4 lbs.




8 Piece Set

##### Contents:

- 7—12 Point Sockets, one each 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8 in.
- 1—L handle, 6 1/2 in.
- Sockets held on L handle.

Per Set  
**F7994G (1349) X1D39**..... Per Set \$2.17  
6 Sets in box. Wt. box 6 1/4 lbs.



11 Piece Wall Klip Set

##### Contents:

- 8—12 Point Sockets, one each 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8, and 15/16 in.
- 1—Ratchet Handle
- 1—L Handle
- 1—Screw Driver Adaptor
- Red baked enamel case with wall slots.

Per Set  
**F7961G (1453) X2D97**..... Per Set \$4.65  
Three in box. Wt. box 7 1/2 lbs



**SOCKET WRENCH ATTACHMENTS****INDESTRO CHROME ALLOY**

Chrome Alloy Steel—Scientifically Heat-Treated—Rich Chrome Finish  
Thin Wall, Hot Broached, Four-Way Lock-On Sockets

**3/8 IN. SQUARE DRIVE****REGULAR SOCKETS**

Each			Size in.	Point	Wt. Box lbs.	Each
F3431G	(2712)	D3C6	3/8	6	1/4	\$0.56
F3432G	(2714)	D3C6	7/16	12	1/4	.56
F8433G	(2716)	D3C6	1/2	12	1/4	.56
F8434G	(2718)	D3C6	9/16	12	1/2	.56
F8435G	(2720)	D3C6	5/8	12	1/2	.56
F8436G	(2722)	D4C1	11/16	12	3/4	.64
F8437G	(2724)	D4C2	3/4	12	3/4	.66
F8438G	(2726)	D5C2	13/16	12	3/4	.80
F8439G	(2728)	D5C9	7/8	12	1	.92

Six in box.

**DEEP SOCKETS**

Each			Size in.	Point	Wt. Box lbs.	Each
F8442G	(2742)	D5C3	7/16	12	1/2	\$0.82
F8443G	(2743)	D5C3	1/2	12	1/2	.82
F8444G	(2744)	D5C8	9/16	12	1/2	.90
F8445G	(2745)	D6C0	5/8	12	1	.94
F8446G	(2746)	D6C6	11/16	12	1 1/4	1.03
F8447G	(2747)	D7C0	3/4	12	1 1/2	1.08
F8448G	(2748)	D8C3	13/16	12	1 3/4	1.29

Six in box.

**UNIVERSAL JOINT SOCKETS**

6 Point

Each			Size in.	Each
F8449G	(2714UV)	X1D53	7/16	\$2.40
F8450G	(2716UV)	X1D53	1/2	2.40
F8451G	(2718UV)	X1D53	9/16	2.40
F8452G	(2720UV)	X1D53	5/8	2.40

Two in box. Wt. box 1/4 lb.

**REVERSIBLE RATCHETS**

52 tooth action. Quick, smooth, effortless reversing. Form-fit cap for comfortable palming. A new hold every 7 degrees. Fast ratcheting. Length 8 inches.

Each			Each
F8414G	(2775)	X3D76	\$5.88


Four in box. Wt. box 4 lbs.

**SWING HEAD HANDLES**

Ball and spring tension to hold head at any selected angle. Broached 3/8 in. square opening in handle for use as extension. Also drilled for cross bar. Length 9 in.

Each			Each
F8396G	(2781)	X1D77	\$2.77

Six in box. Wt. box 3 1/4 lbs.

**SPEEDER HANDLES**

For speedy assembly or tear down. Designed with ball thrust bearing for easy operation and is knurled for comfortable grip. Length 16 1/2 in.

Each			Each
F8401G	(2785)	X1D40	\$2.19

Six in box. Wt. box 5 3/4 lbs.

**EXTENSIONS**

Forged in one piece. Drilled for cross bar.

Each			Length in.	No. in Box	Wt. Box lbs.	Each
F8392G	(2730)	D6C4	3	6	3/4	\$1.00
F8393G	(2733)	D8C6	6	4	3/4	1.33
F8394G	(2735)	X1D03	12	4	1 1/2	1.62

**UNIVERSAL JOINTS**

Spring tension in joints holds drive at any selected angle. Length 1 13/16 in.

Each			Each
F8397G	(2797)	X1D52	\$2.38

6 in box. Wt. box 3/4 lb.



**SOCKET WRENCH ATTACHMENTS**

INDESTRO CHROME ALLOY

Chrome Alloy Steel—Scientifically Heat-Treated—Rich Chrome Finish

Thin Wall, Hot Broached, Four-Way Lock-On Sockets

**1/2 IN. SQUARE DRIVE****REGULAR SOCKETS****12 Point**

For Hexagon Nuts and Bolts

Each			Size in.	Wt. Box lbs.	Each
F8476G	(1214)	D4C0	7/16	3/4	\$0.61
F8477G	(1216)	D4C0	1/2	3/4	.63
F8478G	(1218)	D4C3	9/16	3/4	.67
F8480G	(1220)	D4C3	5/8	3/4	.67
F8481G	(1221)	D5C0	21/32	1	.77
F8482G	(1222)	D5C0	11/16	1	.77
F8483G	(1224)	D5C4	3/4	1	.84
F8484G	(1225)	D5C6	25/32	1 1/4	.88
F8485G	(1226)	D5C8	13/16	1 1/2	.90
F8486G	(1228)	D6C2	7/8	1 3/4	.96
F8487G	(1230)	D6C4	15/16	2	1.00
F8489G	(1232)	D7C0	1	2	1.08
F8490G	(1234)	D7C6	1 1/16	2 1/4	1.18
F8491G	(1236)	D8C2	1 1/8	2 1/2	1.28
F8492G	(1240)	D8C5	1 1/4	3 1/4	1.32

Six in box.

**DEEP SOCKETS****12 Point**

For Hexagon Nuts and Bolts

Each			Size in.	Wt. Box lbs.	Each
F8493G	(3016)	D8C4	1 1/2	1 1/2	\$1.31
F8494G	(3018)	D8C5	9/16	1 3/4	1.32
F8495G	(3020)	D8C6	5/8	1 3/4	1.33
F8496G	(3022)	D8C6	11/16	1 3/4	1.33
F8497G	(3024)	D8C6	3/4	2	1.34
F8499G	(3026)	D9C5	13/16	2	1.48
F8500G	(3028)	X1D03	7/8	2 1/4	1.60
F8501G	(3030)	X1D13	15/16	3	1.77
F8502G	(3032)	X1D18	1	3 1/4	1.84

Six in box.

**UNIVERSAL JOINTS**

Provides accessibility to many difficult jobs. Close coupled and with spring tension. Length 2 5/8 in.

Each			Each
F8422G	(3217)	X1D48	\$2.31

Six in box. Wt. box 2 lbs.

**REVERSIBLE RATCHET**

52 tooth engagement gives a new bite every 7 degrees and can be used in the most restricted places. Especially strong. Length 10 1/2 inches.

Each			Each
F8419G	(3275)	X4D39	\$6.86

Four in box. Wt. box 5 7/8 lbs.

**SWING HEAD HANDLE**

Suitable for extra leverage and to clear obstructions. Ideal for nut spinning. Swing head permits using at many angles. Ball and spring hold head at selected angle. One piece construction. Length 15 in.

Each			Each
F8421G	(3222H)	X2D71	\$4.23

Four in box. Wt. box 8 lbs.

**SPEEDER**

For speedy nut turning. Comfortable knurled handle. Ball bearing design. Friction ball in drive end gives positive lock to socket.

Each			Each
F8426G	(3208)	X1D44	\$2.25

Four in box. Wt. box 6 3/4 lbs.

**SLIDE T HANDLES**

Ideal for use around crowded places as head slides from one end of bar to other to clear obstructions. Head will hold at any selected position on bar through ball and spring tension. Length 11 inches.

Each			Each
F8423G	(3206)	X1D25	\$1.95

Four in box. Wt. box 4 lbs.

**EXTENSIONS**

Forged in one piece. Drilled for cross bar.

Each			Length in.	No. in box	Wt. Box lbs.	Each
F8415G	(3216)	D8C8	5 1/2	6	2	\$1.37
F8416G	(3211)	X1D07	10	4	2 1/4	1.68